

FRONTIER CLUB

LODI TOWNSHIP
WASHTENAW COUNTY, MICHIGAN
E 1/2 OF SECTION 20 AND IN SECTION 21, T3S, R3E
HRC JOB NO. 2026056

CONTACT INFORMATION

OWNER

JONES & JONES LEASING CO LLC
SCOTT KAYANDA
101 N MAIN ST, SUITE 300
ANN ARBOR, MI 48104
313.963.5200
scott@jonesleasing.com

CIVIL ENGINEER


HUBBELL, ROTH & CLARK, INC
JAMES HUBBELL, P.E.
1000 Industrial Project Manager
2000 W. Washtenaw St.
Bloomfield Township, MI 48302
313.963.5200
jrh@hrcinc.com

ARCHITECT

BECK ARCHITECTURE LLC
63 MCCONELL AVE
DUBLIN, OH 43017
614.234.4444
beck@beckarchitecture.com

LANDSCAPE ARCHITECT

MOSHER DESIGN CO
MATT MOSHER
2720 N. Washtenaw St.
Ann Arbor, MI 48106
313.963.5200
matt@mosherdesignco.com



PROJECT
LOCATION MAP
SCALE: 1" = 1500'

SHEET INDEX

DESCRIPTION	SHEET NO.
COVER SHEET	COVER
CIVIL SHEETS	
PROPOSED OVERALL SITE PLAN	C-01
EXISTING DRAINAGE CONVEYANCE	C-02
PROPOSED DRAINAGE CONVEYANCE	C-03
PROPOSED MEMBER MAINTENANCE ENTRANCE SITE PLAN	C-04
PROPOSED DRIVING RANGE AREA SITE PLAN	C-05
PROPOSED CLUB HOUSE / CLOAKING SITE PLAN	C-06
PROPOSED MAINTENANCE FACILITY SITE PLAN	C-07
EXISTING NATURAL FEATURES	C-08
PROPOSED MAINTENANCE FACILITY	C-09
EXISTING TREE INVENTORY TABLES	C-10
PRELIMINARY TREE IMPACT PLAN	C-11
PROPOSED WELL AND SEPTIC SYSTEM LAYOUT PLANS	C-12, C-15
PROPOSED VEHICLE CIRCULATION PLANS	C-16, C-23
PROPOSED FOOT TRAIL TRACKLINES AND DISPERSION PATTERNING PLANS	C-24

LANDSCAPING SHEETS


PRELIMINARY LANDSCAPE SITE PLAN 1-1

ARCHITECTURE SHEETS


FRONTIER CLUB COVER SHEET
OVERALL SITE PLAN
SITE PLAN
PROPOSED CLUBHOUSE GROUND LEVEL PLAN
CLUBHOUSE GROUND LEVEL PLAN
CLUBHOUSE LOWER LEVEL PLAN
SOUTH ELEVATION
ARRIVAL
LIGHT HOLE
NATURAL BARRIER BUILDING PLAN
WELLNESS CABIN PLAN
COMFORT STATION PLAN
CLUBHOUSE GENERATOR PLAN
MAINTENANCE FACILITY PLAN
PRELIMINARY STATION BUILDING AND COMPONENT LAYOUT

08/03/2026 PRELIMINARY SITE PLAN REVIEW

DATE: 08/03/2026	COLLECTED FROM: ADDITIONAL: REVISION:
PREPARED FOR:	PREPARED BY:
HRC HUBBELL, ROTH & CLARK, INC. CONSULTING ENGINEERS SINCE 1915 1000 Industrial Project Manager 2000 W. Washtenaw St. Ann Arbor, MI 48302 313.963.5200 www.hrcinc.com	
DRAWN BY: COVER	



REC'D NO.	20260056	SCALE	MOR. 1" = 300'
DATE	August 2026	CHART NO.	C 01





1000 JAN 7 1998



HUBBELL, ROTH & CLARK, INC.
CONSULTING ENGINEERS SINCE 1911
555 HALEY DRIVE
BLOOMSBURG, PA. 17003
PHONE: (717) 334-4300
FAX: (717) 334-4312
FAX: (717) 334-4308
WEB SITE: www.hrceng.com

P.O. BOX 62
48232 • DET.



DATE	ADDITIONAL MODEL REVISION
12/10/01	MC8 RCH
12/10/01	RCH
12/10/01	MC8
12/10/01	JFA



**FRONTIER CLUB
PRELIMINARY PLANS**

PROPOSED MEMBER / MAINTENANCE ENTRANCE SITE PLAN	
PREC JO3 NO. 2026/0055	SCALE HOR. 1" = 50'
DATE August 2026	SHEET NO. C 04





HILLBELL, ROTH & CLARK, INC
CONSULTING ENGINEERS SINCE 1915

10000 N. 10th Ave., Suite 100
Denver, CO 80231
303.733.7600
www.hrc-engineers.com






DATE: 10/14/2018
BY: John Hill, JESSIE ROTH
CHECKED BY: JESSIE ROTH
SCALE: AS SHOWN
SHEET: 1 OF 1


PROJECT: 10000 N. 10th Ave., Suite 100
SHEET: 1 OF 1
DATE: 10/14/2018
BY: John Hill, JESSIE ROTH
CHECKED BY: JESSIE ROTH
SCALE: AS SHOWN
SHEET: 1 OF 1

**PROPOSED
DRIVING RANGE AREA
SITE PLAN**





**LODI TOWNSHIP
FRONTIER CLUB
PRELIMINARY PLANS**

1. TO BE EXISTING AND
2. TO BE EXISTING AND
3. TO BE EXISTING AND
4. TO BE EXISTING AND
5. TO BE EXISTING AND
6. TO BE EXISTING AND
7. TO BE EXISTING AND
8. TO BE EXISTING AND
9. TO BE EXISTING AND
10. TO BE EXISTING AND
11. TO BE EXISTING AND
12. TO BE EXISTING AND
13. TO BE EXISTING AND
14. TO BE EXISTING AND
15. TO BE EXISTING AND
16. TO BE EXISTING AND
17. TO BE EXISTING AND
18. TO BE EXISTING AND
19. TO BE EXISTING AND
20. TO BE EXISTING AND
21. TO BE EXISTING AND
22. TO BE EXISTING AND
23. TO BE EXISTING AND
24. TO BE EXISTING AND
25. TO BE EXISTING AND
26. TO BE EXISTING AND
27. TO BE EXISTING AND
28. TO BE EXISTING AND
29. TO BE EXISTING AND
30. TO BE EXISTING AND
31. TO BE EXISTING AND
32. TO BE EXISTING AND
33. TO BE EXISTING AND
34. TO BE EXISTING AND
35. TO BE EXISTING AND
36. TO BE EXISTING AND
37. TO BE EXISTING AND
38. TO BE EXISTING AND
39. TO BE EXISTING AND
40. TO BE EXISTING AND
41. TO BE EXISTING AND
42. TO BE EXISTING AND
43. TO BE EXISTING AND
44. TO BE EXISTING AND
45. TO BE EXISTING AND
46. TO BE EXISTING AND
47. TO BE EXISTING AND
48. TO BE EXISTING AND
49. TO BE EXISTING AND
50. TO BE EXISTING AND
51. TO BE EXISTING AND
52. TO BE EXISTING AND
53. TO BE EXISTING AND
54. TO BE EXISTING AND
55. TO BE EXISTING AND
56. TO BE EXISTING AND
57. TO BE EXISTING AND
58. TO BE EXISTING AND
59. TO BE EXISTING AND
60. TO BE EXISTING AND
61. TO BE EXISTING AND
62. TO BE EXISTING AND
63. TO BE EXISTING AND
64. TO BE EXISTING AND
65. TO BE EXISTING AND
66. TO BE EXISTING AND
67. TO BE EXISTING AND
68. TO BE EXISTING AND
69. TO BE EXISTING AND
70. TO BE EXISTING AND
71. TO BE EXISTING AND
72. TO BE EXISTING AND
73. TO BE EXISTING AND
74. TO BE EXISTING AND
75. TO BE EXISTING AND
76. TO BE EXISTING AND
77. TO BE EXISTING AND
78. TO BE EXISTING AND
79. TO BE EXISTING AND
80. TO BE EXISTING AND
81. TO BE EXISTING AND
82. TO BE EXISTING AND
83. TO BE EXISTING AND
84. TO BE EXISTING AND
85. TO BE EXISTING AND
86. TO BE EXISTING AND
87. TO BE EXISTING AND
88. TO BE EXISTING AND
89. TO BE EXISTING AND
90. TO BE EXISTING AND
91. TO BE EXISTING AND
92. TO BE EXISTING AND
93. TO BE EXISTING AND
94. TO BE EXISTING AND
95. TO BE EXISTING AND
96. TO BE EXISTING AND
97. TO BE EXISTING AND
98. TO BE EXISTING AND
99. TO BE EXISTING AND
100. TO BE EXISTING AND



Case	Age	Sex	Duration of symptoms	Family history	Physical examination	Investigations	Diagnosis	Treatment	Outcome
1	10	M	10 years	None	Normal	Normal	AD	None	Good
2	12	F	5 years	None	Normal	Normal	AD	None	Good
3	15	M	3 years	None	Normal	Normal	AD	None	Good
4	18	F	2 years	None	Normal	Normal	AD	None	Good
5	20	M	1 year	None	Normal	Normal	AD	None	Good
6	22	F	6 months	None	Normal	Normal	AD	None	Good
7	25	M	4 months	None	Normal	Normal	AD	None	Good
8	28	F	3 months	None	Normal	Normal	AD	None	Good
9	30	M	2 months	None	Normal	Normal	AD	None	Good
10	32	F	1 month	None	Normal	Normal	AD	None	Good
11	35	M	10 years	None	Normal	Normal	AD	None	Good
12	38	F	5 years	None	Normal	Normal	AD	None	Good
13	40	M	3 years	None	Normal	Normal	AD	None	Good
14	42	F	2 years	None	Normal	Normal	AD	None	Good
15	45	M	1 year	None	Normal	Normal	AD	None	Good
16	48	F	6 months	None	Normal	Normal	AD	None	Good
17	50	M	4 months	None	Normal	Normal	AD	None	Good
18	52	F	3 months	None	Normal	Normal	AD	None	Good
19	55	M	2 months	None	Normal	Normal	AD	None	Good
20	58	F	1 month	None	Normal	Normal	AD	None	Good
21	60	M	10 years	None	Normal	Normal	AD	None	Good
22	62	F	5 years	None	Normal	Normal	AD	None	Good
23	65	M	3 years	None	Normal	Normal	AD	None	Good
24	68	F	2 years	None	Normal	Normal	AD	None	Good
25	70	M	1 year	None	Normal	Normal	AD	None	Good
26	72	F	6 months	None	Normal	Normal	AD	None	Good
27	75	M	4 months	None	Normal	Normal	AD	None	Good
28	78	F	3 months	None	Normal	Normal	AD	None	Good
29	80	M	2 months	None	Normal	Normal	AD	None	Good
30	82	F	1 month	None	Normal	Normal	AD	None	Good
31	85	M	10 years	None	Normal	Normal	AD	None	Good
32	88	F	5 years	None	Normal	Normal	AD	None	Good
33	90	M	3 years	None	Normal	Normal	AD	None	Good
34	92	F	2 years	None	Normal	Normal	AD	None	Good
35	95	M	1 year	None	Normal	Normal	AD	None	Good
36	98	F	6 months	None	Normal	Normal	AD	None	Good
37	100	M	4 months	None	Normal	Normal	AD	None	Good
38	102	F	3 months	None	Normal	Normal	AD	None	Good
39	105	M	2 months	None	Normal	Normal	AD	None	Good
40	108	F	1 month	None	Normal	Normal	AD	None	Good
41	110	M	10 years	None	Normal	Normal	AD	None	Good
42	112	F	5 years	None	Normal	Normal	AD	None	Good
43	115	M	3 years	None	Normal	Normal	AD	None	Good
44	118	F	2 years	None	Normal	Normal	AD	None	Good
45	120	M	1 year	None	Normal	Normal	AD	None	Good
46	122	F	6 months	None	Normal	Normal	AD	None	Good
47	125	M	4 months	None	Normal	Normal	AD	None	Good
48	128	F	3 months	None	Normal	Normal	AD	None	Good
49	130	M	2 months	None	Normal	Normal	AD	None	Good
50	132	F	1 month	None	Normal	Normal	AD	None	Good
51	135	M	10 years	None	Normal	Normal	AD	None	Good
52	138	F	5 years	None	Normal	Normal	AD	None	Good
53	140	M	3 years	None	Normal	Normal	AD	None	Good
54	142	F	2 years	None	Normal	Normal	AD	None	Good
55	145	M	1 year	None	Normal	Normal	AD	None	Good
56	148	F	6 months	None	Normal	Normal	AD	None	Good
57	150	M	4 months	None	Normal	Normal	AD	None	Good
58	152	F	3 months	None	Normal	Normal	AD	None	Good
59	155	M	2 months	None	Normal	Normal	AD	None	Good
60	158	F	1 month	None	Normal	Normal	AD	None	Good
61	160	M	10 years	None	Normal	Normal	AD	None	Good
62	162	F	5 years	None	Normal	Normal	AD	None	Good
63	165	M	3 years	None	Normal	Normal	AD	None	Good
64	168	F	2 years	None	Normal	Normal	AD	None	Good
65	170	M	1 year	None	Normal	Normal	AD	None	Good
66	172	F	6 months	None	Normal	Normal	AD	None	Good
67	175	M	4 months	None	Normal	Normal	AD	None	Good
68	178	F	3 months	None	Normal	Normal	AD	None	Good
69	180	M	2 months	None	Normal	Normal	AD	None	Good
70	182	F	1 month	None	Normal	Normal	AD	None	Good
71	185	M	10 years	None	Normal	Normal	AD	None	Good
72	188	F	5 years	None	Normal	Normal	AD	None	Good
73	190	M	3 years	None	Normal	Normal	AD	None	Good
74	192	F	2 years	None	Normal	Normal	AD	None	Good
75	195	M	1 year	None	Normal	Normal	AD	None	Good
76	198	F	6 months	None	Normal	Normal	AD	None	Good
77	200	M	4 months	None	Normal	Normal	AD	None	Good
78	202	F	3 months	None	Normal	Normal	AD	None	Good
79	205	M	2 months	None	Normal	Normal	AD	None	Good
80	208	F	1 month	None	Normal	Normal	AD	None	Good
81	210	M	10 years	None	Normal	Normal	AD	None	Good
82	212	F	5 years	None	Normal	Normal	AD	None	Good
83	215	M	3 years	None	Normal	Normal	AD	None	Good
84	218	F	2 years	None	Normal	Normal	AD	None	Good
85	220	M	1 year	None	Normal	Normal	AD	None	Good
86	222	F	6 months	None	Normal	Normal	AD	None	Good
87	225	M	4 months	None	Normal	Normal	AD	None	Good
88	228	F	3 months	None	Normal	Normal	AD	None	Good
89	230	M	2 months	None	Normal	Normal	AD	None	Good
90	232	F	1 month	None	Normal	Normal	AD	None	Good
91	235	M	10 years	None	Normal	Normal	AD	None	Good
92	238	F	5 years	None	Normal	Normal	AD	None	Good
93	240	M	3 years	None	Normal	Normal	AD	None	Good
94	242	F	2 years	None	Normal	Normal	AD	None	Good
95	245	M	1 year	None	Normal	Normal	AD	None	Good
96	248	F	6 months	None	Normal	Normal	AD	None	Good
97	250	M	4 months	None	Normal	Normal	AD	None	Good
98	252	F	3 months	None	Normal	Normal	AD	None	Good
99	255	M	2 months	None	Normal	Normal	AD	None	Good
100	258	F	1 month	None	Normal	Normal	AD	None	Good



811
Know what's below.
Call before you dig.
CALL811.COM

**CALL MISS DIG
72 HOURS
3 WORKING DAYS
BEFORE YOU DIG
1-800-482-7177
or 811
(TOLL FREE)**

LODI TOWNSHIP	
FRONTIER CLUB PRELIMINARY PLANS	
E 1/2 of SECTION 29 AND N 1/2 SECTION 21, T. 126. N02.	
WASHTENAW COUNTY	MICHIGAN
EXISTING TREE INVENTORY & ASSESSMENT	
DATE	SCALE
2/26/2006	N02, T1 * 200'
2/26/2006	
August 2006	SCALE NO C 09



	DIA-20A	SOLIMINARY CITE & IN REVIEW
	DATE	NATIONAL ARCHIVE REFERENCE
	DESIGNATION	M.G.E./R.C.H.
	ORIGIN	R.C.H.
	CHECKED	M.G.S.
	REMOVED	J.F.B.

 **HUBBELL, ROTH & CLARK, INC.**
CONSULTING ENGINEERS SINCE 1915
550 HULST DRIVE
BLOOMFIELD HILLS, MICH.
PHONE: (248) 454-4300
FAX: (248) 454-4312
FAX: (734) 306-1100 (248) 454-4350
WEB SITE: www.hrceng.com

 P.O. BOX 834
48304 - 0834

[illegible]

811
NATIONAL RELAY
Call before you dig
CALL811.COM
(TOLL FREE)



LEGEND:

[Red outline]	PROPOSED BUILDING
[Yellow outline]	PROPOSED LANDSCAPE
[Green outline]	PROPOSED PARKING
[Blue outline]	PROPOSED WATER
[Blue outline]	PROPOSED WATER
[Blue outline]	PROPOSED WATER
[Blue outline]	PROPOSED WATER
[Blue outline]	PROPOSED WATER
[Blue outline]	PROPOSED WATER
[Blue outline]	PROPOSED WATER

CALL MISS-DIG
72 HOURS
BEFORE ANY
CONSTRUCTION
CALL 800-444-4444
OR 1-800-444-4444
FOR A FREE
CALL 800-444-4444
OR 1-800-444-4444



HRC
HUBBELL, ROTH & CLARK, INC.
CONSULTING ENGINEERS SINCE 1918
HUBBELL, ROTH & CLARK, INC.
HUBBELL, ROTH & CLARK, INC.
HUBBELL, ROTH & CLARK, INC.

LODI TOWNSHIP
FRONTIER CLUB
PRELIMINARY PLANS


E 1/2 OF SECTION 29 AND
IN SECTION 31, T36S, R12E,
WASHINGTON COUNTY, MINNESOTA

PRELIMINARY TREE
IMPACT PLAN

PROJECT NO. 20260056
DATE: July 2026
SCALE: 1" = 200'
SHEET: C 11

30-30-2026 PRELIMINARY SITE PLAN REVIEW
DATE: 7/2/2026
DRAWN: RCH
CHECKED: JLS
APPROVED: JLS

PROJECT LOCATION






HRC
HUBBELL, ROTH & CLARK, INC.
CONSULTING ENGINEERS SINCE 1915
555 N. HART HWY.
BLOOMSBURG HILL, MICH.
PHONE: (248) 454-4300
FAX (Toll. Free): (800) 454-4372
FAX (Toll. Free): (248) 454-4398
WEB SITE: www.hrceng.com

P.O. BOX 824
42832 • GLENDALE, AZ 85345




	PRESUMINARY SITE PLAN REVIEW
DISTRICT	N.G.S./N.C.H.
CHECKED BY	R.C.H.
CHECKED DATE	M.C.S.
APPROVED BY	J.F.B.



LODI TOWNSHIP
FRONTIER CLUB
PRELIMINARY PLANS

PROPOSED
WELL AND SEPTIC SYSTEM
LAYOUT PLAN
"ENTRANCE AREA"

HPC JOA NO.	SCALE
20260056	MOR. 1" = 60'
DATE	DRAWN
August 2026	NO C13



MATCH LINE - SEE SHT. C 13

MATCH LINE - SEE SHT. C 15

LEGEND

- | | | | |
|--|---------------------------------------|--|--|
| | PROPOSED BUILDING | | PROPOSED WELL HEAD LOCATION |
| | PROPOSED BURIED PIPELINE | | 30 FT RADIUS FROM CENTER OF WELL HEAD FOR SPILL TANK CLEARANCE |
| | PROPOSED CONCRETE PAVEMENT | | 100 FT RADIUS FROM CENTER OF WELL HEAD FOR SPILL FIELD CLEARANCE |
| | PROPOSED SPILL SPILL AND REMOVAL AREA | | PROPOSED SPILL TANK LOCATION |
| | PROPOSED WATERMAIN AND STRUCTURES | | PROPOSED SPILL FIELD LOCATION |



811
Know what's below.
Call before you dig.
CALL811.COM
CALL MISS DIG
72 HOURS
3 WORKING DAYS
BEFORE YOU DIG
1-800-482-7177
or 811
(TOLL FREE)



HRC
HUBBELL, ROTH & CLARK, INC.
CONSULTING ENGINEERS SINCE 1912
555 HULST DRIVE
BLOOMFIELD HILLS, MICH.
PHONE: (248) 454-4300
FAX (Toll Free): (800) 454-4312
FAX (Onsite, Free): (248) 454-4356
WEB SITE: www.hrceng.com

P. E. BOB RAY
48324 • 0224



28-03-2025	PRELIMINARY SITE PLAN REVIEW
DATE	ADD TIONS AND/OR REVISIONS
DESIGNED	M.G.S. / R.C.H
DRAWN	R.C.H
CHECKED	M.G.S.
APPROVED	J.F.B.

**LODI TOWNSHIP
FRONTIER CLUB
PRELIMINARY PLANS**

PROPOSED
WELL AND SEPTIC SYSTEM
LAYOUT PLAN
"ENTRANCE AREA"

DATE August 2026	SHEET NO. C 14
---------------------	-------------------





HRC
HUBBELL, ROTH & CLARK, INC.
 CONSULTING ENGINEERS SINCE 1915
 515 WEST 50TH
 KANSAS CITY, MO. 64112
 PHONE: (816) 444-4444
 FAX: (816) 444-4444
 1402 E. 12TH ST. STE. 100
 KANSAS CITY, MO. 64105
 WWW.HRC-ENGINEERS.COM


PROJECT NO.	28-02205
DATE	PRELIMINARY PLAN REVIEW
APPROVED BY	ADD. LOCAL AGENCY APPROVAL
DESIGNED BY	M.G.S./R.C.H.
CHECKED BY	R.C.H.
DESIGNED BY	M.G.S.
CONTRACT NO.	07-03

5.15 TO 5.25 SECTION 2A AND
 IN SECTION 21 THE RMC
 WASHINGTON COUNTY
 MISSOURI

**LODI TOWNSHIP
 FRONTIER CLUB
 PRELIMINARY PLANS**

PROPOSED
 WELL AND SEPTIC SYSTEM
 LAYOUT PLAN
 CLUB HOUSE AREA

MCDONALD	DATE	MGR. 1" = 40'	SCALE
2/20/2006	2/20/06		C 15
APPROX. 2006			




72 HOURS
BEFORE YOU DIG
CALL 800-4-A-DIG
1-800-422-7171
CALL911.COM
(TOLL FREE)



72 HOURS
BEFORE YOU DIG
CALL 800-4-A-DIG
1-800-422-7171
CALL911.COM
(TOLL FREE)

LODI TOWNSHIP
FRONTIERS CLUB
PRELIMINARY PLANS
WELL AND SEPTIC SYSTEM
"MAINTENANCE FACILITY"
E. 1/2 OF SECTION 29 AND
N. 1/2 OF SECTION 31, T12N, R12E
MICHIGAN
PROPOSED
WELL AND SEPTIC SYSTEM
"MAINTENANCE FACILITY"



30.00.000	PRELIMINARY SITE PLAN REVIEW
DATE	10/12/2025
DESIGNED	M.E. & J.E. H.
DRAWN	M.E. & J.E. H.
CHECKED	M.E. & J.E. H.
APPROVED	J.E.H.

HRC
HUBBELL, ROTH & CLARK, INC.
CONSULTING ENGINEERS SINCE 1915
1000 N. ZEEB RD.
ANN ARBOR, MI 48106
PHONE: (313) 454-4400
FAX: (313) 454-4411
CELL: (313) 241-0500
WWW.HRC-ENGINEERS.COM






A map showing the project location. The map includes labels for 'PROJECT LOCATION' and 'WATER CONVEYANCE'. Roads shown include ALICE RD, GRAPE RD, and ALICE RD. The map also shows a 'WATER CONVEYANCE' area and a 'PROJECT LOCATION' area. The map is oriented with North at the top.




HRC
HUBBELL, ROTH & CLARK, INC.
CONSULTING ENGINEERS SINCE 1915
RECORDED FIELD HILL, MICH.
P.O. BOX 624
48362 - 0624

PHONE: (248) 454-4338
FAX (Toll Free): (248) 464-4312
FAX (Local): (248) 454-4358

WEBS SITE: www.hrceng.com







S. ZEEB ROAD



HRC
HUSBELL, ROTH & CLARK, INC.
CONSULTING ENGINEERS SINCE 1915
1500 WEST 10TH AVE.
SACRED HEART, WISCONSIN 53081
PHONE: 261-545-4444
FAX: 261-545-4444
WWW.HRC-INC.COM



LODI TOWNSHIP
FRONTIER CLUB
PRELIMINARY PLANS
PROJECT LOCATION
S. ZEEB ROAD
S. 1ST STREET
Lodi, Wisconsin
WISCONSIN
PROJECT NO. 20260056
DATE: AUGUST 2026
SCALE: 1" = 40'

CALL MESS DOG
311
1-800-441-7777
CALLMESS.COM
(TOLL FREE)

© 2026 Husbell, Roth & Clark, Inc. All rights reserved.




HRC
HUBBELL, ROTH & CLARK, INC.
CONSULTING ENGINEERS SINCE 1915
155 NULST PARK
BROOKFIELD HILLS, MI, 48304
PHONE: (248) 414-4400
FAX: (248) 414-4412
7400 Park Forest Drive
Farmington Hills, MI 48334-4356
WEB SITE: www.hrconline.com

P.O. BOX 214
48304 - 0214




PRELIMINARY SITE PLAN REVIEW	
DATE	ADDITIONAL AGENCY REVISIONS
DISCUSS	M.G.S. / RCH
DESIGN	RCH
DESIGN	M.G.S.
APPROVED	J.F.B.



LODI TOWNSHIP
FRONTIER CLUB
PRELIMINARY PLANS
E 1/2 OF SECTION 28 AND
IN SECTION 31, T33S, R12E
WASHINGTON COUNTY
MICHIGAN

PROPOSED
EMERGENCY VEHICLE
CIRCULATION PLAN
* OVERALL SITE *


REC JOB NO:	20260056	BCA#	HOR T* = 100'
DATE	August 2026	CHART NO.	C 20








HRC
HUBBELL, ROTH & CLARK, INC.
CONSULTING ENGINEERS SINCE 1915
515 HILLY DRIVE
BIRMINGHAM FIELD HILLS, AL 35243
PHONE: (205) 254-4300
FAX: (205) 254-4312
FAX: (206, 1990) (206) 454-3258
WEB SITE: www.hrc-engineers.com

P. E. BOB GIL
42233 - 0224










72 HOURS
BEFORE YOU DIG
CALL 811
1-800-487-7171
CALL811.COM
(TOLL FREE)

FRONTIER CLUB PRELIMINARY PLANS	
PROJECT LOCATION	FRONTIER CLUB
PROPOSED	DELIVERY TRUCK
DATE	NOV. 17 - 48
SCALE	NO. C-24



2015-2016	PRELIMINARY SITE PLAN REVIEW
2016-2017	REVISIONS
2017-2018	REVISIONS
2018-2019	REVISIONS
2019-2020	REVISIONS
2020-2021	REVISIONS
2021-2022	REVISIONS
2022-2023	REVISIONS
2023-2024	REVISIONS
2024-2025	REVISIONS
2025-2026	REVISIONS
2026-2027	REVISIONS
2027-2028	REVISIONS
2028-2029	REVISIONS
2029-2030	REVISIONS
2030-2031	REVISIONS
2031-2032	REVISIONS
2032-2033	REVISIONS
2033-2034	REVISIONS
2034-2035	REVISIONS
2035-2036	REVISIONS
2036-2037	REVISIONS
2037-2038	REVISIONS
2038-2039	REVISIONS
2039-2040	REVISIONS
2040-2041	REVISIONS
2041-2042	REVISIONS
2042-2043	REVISIONS
2043-2044	REVISIONS
2044-2045	REVISIONS
2045-2046	REVISIONS
2046-2047	REVISIONS
2047-2048	REVISIONS
2048-2049	REVISIONS
2049-2050	REVISIONS
2050-2051	REVISIONS
2051-2052	REVISIONS
2052-2053	REVISIONS
2053-2054	REVISIONS
2054-2055	REVISIONS
2055-2056	REVISIONS
2056-2057	REVISIONS
2057-2058	REVISIONS
2058-2059	REVISIONS
2059-2060	REVISIONS
2060-2061	REVISIONS
2061-2062	REVISIONS
2062-2063	REVISIONS
2063-2064	REVISIONS
2064-2065	REVISIONS
2065-2066	REVISIONS
2066-2067	REVISIONS
2067-2068	REVISIONS
2068-2069	REVISIONS
2069-2070	REVISIONS
2070-2071	REVISIONS
2071-2072	REVISIONS
2072-2073	REVISIONS
2073-2074	REVISIONS
2074-2075	REVISIONS
2075-2076	REVISIONS
2076-2077	REVISIONS
2077-2078	REVISIONS
2078-2079	REVISIONS
2079-2080	REVISIONS
2080-2081	REVISIONS
2081-2082	REVISIONS
2082-2083	REVISIONS
2083-2084	REVISIONS
2084-2085	REVISIONS
2085-2086	REVISIONS
2086-2087	REVISIONS
2087-2088	REVISIONS
2088-2089	REVISIONS
2089-2090	REVISIONS
2090-2091	REVISIONS
2091-2092	REVISIONS
2092-2093	REVISIONS
2093-2094	REVISIONS
2094-2095	REVISIONS
2095-2096	REVISIONS
2096-2097	REVISIONS
2097-2098	REVISIONS
2098-2099	REVISIONS
2099-2100	REVISIONS

HRC
HUBBELL, ROTH & CLARK, INC.
CONSULTING ENGINEERS & ARCHITECTS
1000 N. 10TH ST., SUITE 100
MINNEAPOLIS, MN 55412
TEL: (612) 338-1111
FAX: (612) 338-1112
WWW.HRC-ENGINEERS.COM

F/C



PROJECT
FRONTIER
CLUB
LOD1 TOWNSHIP, MI

DATE & REVISIONS:
AUGUST 1, 2026

SCALE & NORTH ARROW:



SCALE: 1" = 100'-0"
811
Knapik & Associates
Civil/Utility/Pool/Dir.

SHEET TITLE
PRELIMINARY
LANDSCAPE
SITE PLAN


SHEET NO.
L-1

DESIGNED BY
M.M.

NOTE:
Knapik & Associates, Inc. has designed this preliminary landscape site plan for the proposed development of the project.
The design is based on the information provided by the client and is not intended to be a final design.
The design is subject to change without notice.
The design is not intended to be a final design.
The design is subject to change without notice.

LEGAL NOTICE:
This document is a preliminary design and is not intended to be a final design.
The design is subject to change without notice.
The design is not intended to be a final design.
The design is subject to change without notice.

ALL LANDSCAPES ARE
ASSISTANT OF 41




NOTE:
FINAL QUANTITIES OF
PLANTING MATERIALS
DETERMINED ON FINAL
LANDSCAPE PLAN.

FRONTIER CLUB

JULY 06, 2026





- 1 Member Entry
- 2 Service Entry
- 3 Range
- 4 Multipurpose Bldg
- 5 H.O.R.S.E. Course
- 6 Cabins
- 7 Clubhouse
- 8 Wellness Cabin
- 9 Parking
- 10 Founder's Cabins

OVERALL SITE PLAN






- 1 Range / Putting Green
- 2 Himalayas
- 3 Cabins
- 4 Starter Cabin
- 5 1st Tee
- 6 Entry Court
- 7 Parking
- 8 Pro Shop
- 9 Wellness Cabin
- 10 Clubhouse
- 11 Service


SITE PLAN



OVERALL CLUBHOUSE GROUND LEVEL PLAN



CLUBHOUSE GROUND LEVEL PLAN





CLUBHOUSE LOWER LEVEL PLAN





9TH HOLE

DINING

MEN'S LOCKER ROOM

SOUTH ELEVATION



BECK



PRO SHOP

MEN'S LOCKER ROOM

ENTRY

ARRIVAL



BECK



MEN'S LOCKER ROOM

PRO SHOP

18TH HOLE

CABINS



18TH HOLE

BECK



CABINS

ENTRY

HIMALAYAS

CABINS



HIMALAYAS

BECK




07/29/26


MULTIPURPOSE BUILDING - SCALE 1/8" = 1'-0"




BECK



GROUND LEVEL
1,360 SF



LOWER LEVEL
1,700 SF



07/29/26

WELLNESS CABIN - SCALE 1/8" = 1'-0"





WELLNESS CABIN

FOUNDER'S CABINS



07/29/26

WELLNESS CABIN






07/29/26

WELLNESS CABIN

BECK




07/29/26

WELLNESS CABIN





07/29/26



COMFORT STATION - SCALE 1/8" = 1'-0"



CLUBHOUSE GENERATOR - SCALE 1" = 20'-0"



0.


40°






07/29/26

MAINTENANCE FACILITY - SCALE 1" = 50'-0"







ACROSS NATION - CHARTERED PUBLIC SCHOOLS




- RECOMMENDED PUMPHOUSE FEATURES -

-RECOMMENDED SLAB DETAIL-



FERTIGATION SPOOL			
ITEM	MATERIAL	SIZE	DIST. FROM P.C. TO CROWN
1	FERT	3/4"	270
2	FERT	3/4"	NO
3	WETTING AGENT	3/4"	5"
4	SAMPLE	3/4"	0
5	PH	4"	0

TRANSITION SPOOL
THREADED ELBOWS



- INTAKE PIPE AND SCREEN

- NOTES
- LAMP BARS OR CRUISED STONE FOR SUPPORT - IF OFF POND BOTTOM
 - USE APPROPRIATE JOINT CONNECTIONS BETWEEN PIPE LENGTHS
 - INSTALL INTERIOR PIPE LEVEL WITH NO HIGH POINTS
 - BURIED IN PLACE, 18" IN TRENCH WITH WEALS
 - PROVIDE A WEALSH LAYER POND BOTTOM OR PIPE UP TO 1/2 DIAMETER CONTACT MATERIAL TO A MINIMUM 6" IN DENSITY TO SUPPORT PIPE
 - CONTACT PIPE BURIED TO A MINIMUM 6" UP TO 2' OVER THE PIPE
 - INTERIOR PIPE TO CONNECT TO WELL WALL USING RUBBER BOOT
 - PIPE END WITH MANHOLE COVERS TO BE COMPACTION

THIS IS A PRELIMINARY DRAWING OF A TYPICAL PUMP SYSTEM OF THE SIZE AND TYPE INDICATED. THE ADDITION OF SOME OPTIONAL HARDWARE WILL AFFECT FINAL STATION CONFIGURATION AND SIZE. THIS DRAWING IS PROVIDED FOR PLANNING PURPOSES ONLY. CONSTRUCTION MUST BE IN ACCORDANCE WITH LOCAL BUILDING AND ELECTRICAL CODES. CONTRACTOR TO VERIFY ALL DIMENSIONS PRIOR TO ORDERING MATERIALS AND CONSTRUCTION.

- PRELIMINARY -